



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

$\therefore x = \frac{1}{3}(5 - 1.48329) = \frac{1}{3}$ of $3.51671 = 1.17223$. $\therefore 100x = \$117.22\frac{3}{10}$, the price to be paid for a \$100-bond at 5% interest payable quarterly for 10 years, to realize 3% per annum payable quarterly.

Also solved by J. H. DRUMMOND, H. C. WHITAKER, and G. B. M. ZERR.

NOTE:—Problem 19 was also solved by J. H. DRUMMOND, M. A. GRUBER, T. L. DeLAND, J. F. W. SHEFFER, G. B. M. ZERR, and F. P. MATZ.

PROBLEMS.

26. Proposed by ALVIN E. SCHMIDT, Winesburg, Ohio.

Show that $abc > (a+b-c)(a+c-b)(b+c-a)$ unless $a=b=c$.

27. Proposed by A. H. BELL, Hillsboro, Illinois. (The problem from H. C. WILKS, Skull Run, Virginia.

An oarsman in rowing a boat down stream 7 miles from A to B and then back requires 12 minutes longer time, than commencing from B , and rowing up and back; the rate of speed for the 1st half of the time is 5 miles per hour, and for the 2nd half of the time is $4\frac{1}{2}$ miles per hour. Required the current.

28. Proposed by H. W. DRAUGHON, Clinton, Louisiana.

The working capacity of a horse is constant between the ages of a and b years, and decreases at a constantly accelerated rate from the age of b years to that of c years, becoming 0 at the latter age. If the value of the horse at the age of a years is d , give a formula for finding his value at any subsequent time.

Solutions to these problems should be received on or before September 1st.

GEOMETRY.

Conducted by B.F. FINKEL, Kidder, Missouri. All contributions to this department should be sent to him.

SOLUTIONS TO PROBLEMS.

14. Proposed by HENRY HEATON, M. S., Atlantic, Iowa.

Through two given points to pass four circles tangent to two given circles.

Solution by the PROPOSER.

In the figure, C and C' the intersection of the common tangents to the two circles are known as the external and internal centers of similitude.

It is not necessary to demonstrate here the following well known properties: